

REPAIR CATALOGUE
OF
BAKER WINDMILLS



Manufactured by
THE HELLER-ALLER COMPANY
ESTABLISHED 1886
Napoleon, Ohio

Repair Parts List

MODELS 6, 7, 8, 10, 12 **BAKER** BACK GEAR MILLS

THE MODEL NUMBER DESIGNATES THE SIZE OF THE WINDMILL

Mod. 5, 5 (Discontinued) Takes Same Repair Lists As Mod. 1
Mod. 6, 6 (Discontinued) Takes Same Repair Lists As Mod. 7

| Curt. No. | ARTICLE | 6 FOOT | | 7 FOOT | | 8 FOOT | | 10 FOOT | | 12 FOOT | |
|-----------|--|----------|---------|----------|---------|----------|---------|----------|---------|----------|---------|
| | | Part No. | Price | Part No. | Price | Part No. | Price | Part No. | Price | Part No. | Price |
| 0 | Galvanized Hood | 60 | \$ 2.00 | 76 | \$ 2.00 | 80 | \$ 2.00 | 100 | \$ 2.50 | 120 | \$ 3.00 |
| 1 | Large Gear Wheel | 51 | 2.25 | 52H | 2.50 | 81 | 2.50 | 10A | 2.70 | 121 | 3.20 |
| 2 | Pump Rod Side Arm Hitch, Each | 62 | .80 | 72 | .80 | 82 | .80 | 102 | .80 | 122 | 1.20 |
| 3 | Steel Pin for Pinnae and Rocker Arm | 3/4x3/4 | .50 | 3/4x3/4 | .50 | 3/4x3/4 | .50 | 3/4x3/4 | .50 | 3/4x3/4 | .50 |
| 4 | Cast Pinnae | 34 | 1.20 | 34 | 1.20 | 34 | 1.50 | 34D | 1.70 | 34E | 2.00 |
| 5 | Vane Castings | 51 | 2.25 | 52N | 2.50 | 85 | 2.50 | 107T | 2.50 | 125 | 4.50 |
| 6 | Wind Hub | 66 | 2.25 | 76 | 2.50 | 86 | 3.00 | 106 | 3.50 | 126 | 4.50 |
| 7 | Small Gear | 67 | .70 | 77 | .80 | 87 | .80 | 107 | 1.10 | 127 | 1.40 |
| 8 | Rocker Arm | 58 | 2.25 | 44S | 2.50 | 44S | 2.80 | 104M | 3.00 | 128 | 3.50 |
| 9 | Removable Main Bearing | 59 | 2.50 | 2 | 2.50 | 2 | 2.00 | 5 | 2.20 | 2 | 3.50 |
| 10 | Main Shaft | 610 | 1.75 | 710 | 1.75 | 810 | 2.00 | 1010 | 2.50 | 1210 | 3.00 |
| 11 | Bumper Springs, Each | 11 | .20 | 11 | .20 | 11 | .20 | 11 | .20 | 1111 | .20 |
| 12 | Steel Pin for Large Gear & Oil Bowl, Ea. | 1/2x3/4 | .50 | 1/2x3/4 | .50 | 1/2x3/4 | .50 | 1/2x3/4 | .50 | 1/2x3/4 | .50 |
| 13 | Cast Pulley for Chain, Each | 13 | .30 | 13 | .30 | 13 | .30 | 13 | .30 | 13 | .30 |
| 14 | Steel Pin for Pinnae and Large Gear, Ea. | 3/4x3/4 | .50 | 3/4x3/4 | .50 | 3/4x3/4 | .50 | 3/4x3/4 | .50 | 3/4x3/4 | .50 |
| 15 | Steel Pin Holding Rocker Arm to Oil Bowl | 3/4x3/4 | .50 | 3/4x3/4 | .50 | 3/4x3/4 | .50 | 3/4x3/4 | .50 | 3/4x3/4 | .50 |
| 16 | Governor Spring | 616 | 1.20 | 716 | 1.40 | 816 | 1.40 | 1016 | 1.50 | 1216 | 2.00 |
| 17 | Pin for Vane Casting | 617 | .50 | 717 | .50 | 817 | .50 | 1017 | .50 | 1217 | .50 |
| 18 | Steel Pump Rod and Swivel, Complete | 18 | 4.50 | 18 | 4.50 | 18 | 4.50 | 18 | 4.50 | 1818 | 6.00 |
| 19 | Swivel Only for Steel Pump Rod | 18S | 2.50 | 18S | 2.50 | 18S | 2.50 | 18S | 2.50 | 1818S | 3.50 |
| 20 | Cast Guide Only for Steel Pump Rod | 18G | 1.00 | 18G | 1.00 | 18G | 1.00 | 18G | 1.00 | 1818G | 1.50 |
| 21 | Half Round Rod for Cut No. 18 | 18HR | 1.30 | 18HR | 1.30 | 18HR | 1.30 | 18HR | 1.30 | 1818R | 1.70 |
| 22 | Steel Pin for Oil Bowl | 19 | .50 | 19 | .50 | 19 | .50 | 19 | .50 | 19 | .50 |
| 23 | Full Oil Chain | 20 | .50 | 20 | .50 | 20 | .50 | 20 | .50 | 20 | .50 |
| 24 | Hub Taper Steel Pin and Nut | 621 | .20 | 721 | .20 | 821 | .20 | 1021 | .20 | 1221 | .20 |
| 25 | Oil Bowl and Pipe Bore | Mod. 6 | 10.00 | Mod. 7 | 11.00 | Mod. 8 | 11.00 | Mod. 10 | 13.50 | Mod. 12 | 20.00 |
| 26 | Full Steel Turbine | 77 | 2.25 | 77 | 2.25 | 77 | 2.25 | 77 | 2.25 | 157T | 3.00 |
| 27 | Truing Center | X11 | 1.25 | X11 | 1.25 | X11 | 1.25 | X11 | 1.25 | X11 | 1.25 |
| 28 | Pump Rod Hitch | 85S | 1.40 | 85S | 1.40 | 85S | 1.40 | 85S | 1.40 | 85S | 1.40 |
| 29 | Perfect Oil Seal for Bearing | 808 | 1.00 | 708 | 1.00 | 808 | 1.00 | 1008 | 1.20 | 1208 | 1.50 |
| 30 | Packing Gland for Old Style Bearing | 810 | .50 | 710 | .50 | 810 | .50 | 1010 | .50 | 1210 | .75 |
| 31 | Cast Plug for Oil Bowl | 810P | .15 | 710P | .15 | 810P | .15 | 1010P | .15 | 1210P | .20 |
| 32 | Wind Fan or Sail | 610x36 | .25 | 610x36 | .25 | 610x36 | .25 | 610x36 | .25 | 610x36 | .25 |
| 33 | 5 1/2 ft. x 6 1/2 ft. Discontinued Wheel Sails | 722D | 1.00 | 722 | 1.10 | 822 | 1.10 | 1022 | 1.50 | 1222 | 3.00 |
| 34 | Steel Wheel Rim with Chairs | 623 | 1.40 | 723 | 1.50 | 823 | 1.50 | 1023 | 2.00 | 1223 | 4.20 |
| 35 | Long Wheel Rim with Chairs | 624 | .15 | 724 | .15 | 824 | .15 | 1024 | .20 | 1224 | .30 |
| 36 | Large Steel Chair for Sail | 625 | .10 | 725 | .10 | 825 | .10 | 1025 | .15 | 1225 | .20 |
| 37 | Small Steel Chair for Sail | 626 | 3.00 | 726 | 3.00 | 826 | 3.50 | 1026 | 4.00 | 1226 | 6.00 |
| 38 | Wheel Section Complete | 627S | 3.00 | 627S | 3.00 | 627S | 3.00 | 627S | 3.00 | 627S | 3.00 |
| 39 | 5 1/2 ft. x 6 1/2 ft. Discontinued Wheel Sect. | 627S | .70 | 727 | .80 | 827 | .80 | 1027 | 1.00 | 1227 | 1.50 |
| 40 | Flat Steel Wheel Arm | 628 | .80 | 728 | .80 | 828 | .80 | 1028 | 1.00 | 1228 | 1.50 |
| 41 | Cast Steel Wheel Frame | 629 | 2.00 | 729 | 2.10 | 829 | 2.30 | 1029 | 3.00 | 1229 | 4.50 |
| 42 | Vane Pipe or Stem | 630 | .30 | 730 | .40 | 830 | .50 | 1030 | 1.00 | 1230 | 1.50 |
| 43 | Supporting Rod for Vane | 631 | 1.30 | 731 | 1.30 | 831 | 1.60 | 1031 | 1.80 | 1231 | 2.30 |
| 44 | Set Mill Bolts | 632 | .80 | 732 | .80 | 832 | 1.00 | 1032 | 1.00 | 1232 | 1.40 |
| 45 | Set Wheel Bolts | 633 | .45 | 733 | .45 | 833 | .68 | 1033 | .90 | 1233 | 1.20 |
| 46 | Baker Zero Oil | 634C | 17.00 | 734C | 18.25 | 834C | 23.00 | 1034C | 28.00 | 1234C | 32.00 |
| 47 | Wheel Complete with Arms, Braces & Bolts | 635 | 6.50 | 735 | 7.00 | 835 | 9.50 | 1035 | 11.00 | 1235 | 20.00 |
| 48 | Vane Complete with Cover and Oil | 636C | 20.00 | 736C | 22.00 | 836C | 23.50 | 1036C | 27.00 | 1236C | 48.50 |

Model 27—(Discontinued)—6 1/2 Foot Back Geared Mill

| Part No. | ARTICLE | Price |
|----------|---|--------|
| 1a3/4 | Pin for Oil Bowl and Large Gear, Each | \$0.80 |
| 3/4x3/4 | Pin Connecting No. 22 Pinnae and Rocker Arm | .50 |
| 3/4x3/4 | Crank Pin for Large Gear—Matched to W" Diam. on One End | .20 |
| 3/4x3/4 | Pin Holding Rocker to Oil Bowl | .60 |
| 22 | Cast Pinnae, Each | .70 |
| 13E | Cast Rocker Arm | 2.50 |
| 27B | Galvanized Hood | 3.00 |
| 102 | Large Gears, Each | 2.50 |
| 27E | Small Cast Pinnae Gear, Each | .80 |
| 28B | Side Arm for Pump Rod Hitch, Each | .60 |


Other Parts Duplicate of Mod. 6, 5 or Mod. 7

Chart of Repair Parts

MODELS 6, 7, 8, 10, 12 **BAKER** BACK GEAR MILLS

Mod. 5.5 (Discontinued) Take Same Repair Lists As Mod. 6

Mod. 6.5 (Discontinued) Take Same Repair Lists As Mod. 7



IMPORTANT—Always give model number appearing on oil bowl together with number and description of part wanted when ordering repairs.

Entire Mechanism

BACK GEARED ENGINE



Fig. 6.3B

Phantom View

BACK GEARED ENGINE





Fig. 6.5A

Model 28 Direct Stroke **BAKER** Run-In-Oil Mill Repairs



| Symbol No. | Article | 6-FOOT MILL | | 10-FOOT MILL | |
|------------|---|-------------|------------|--------------|------------|
| | | Part No. | List Price | Part No. | List Price |
| 0 | Galvanized Hood | | \$2.00 | | \$5.00 |
| 1 | Eccentric Spring | | 1.40 | | 1.50 |
| 2 | Eccentric, Complete | | 4.00 | | 4.95 |
| 3 | Lower Part of Eccentric with Shank and Pin Bearing | | 1.50 | | 1.50 |
| 4 | Upper Part Eccentric Ring | | 1.50 | | 1.50 |
| 5 | Cast only for Eccentric | | 1.00 | | 1.00 |
| 6 | Roller Arm | OC | 1.00 | OC | 1.00 |
| 7 | Truss Center | X11 | 1.35 | X11 | 1.75 |
| 8 | Truss Center | 888 | 1.50 | 888B | 1.50 |
| 9 | Time Casting | VIIIH | 1.50 | XH | 1.50 |
| 10 | Wheel Hub | | .80 | | .80 |
| 11 | Side Arms for Pump Rod Work, Each | | 1.00 | 886 | 1.00 |
| 12 | Top Casting for Pump Rod Work | | .75 | 77 | 1.00 |
| 13 | Main Eccentric Bearing, Complete | | .30 | | .30 |
| 14 | Cast Pulley for Chain, Each | X1213 | 2.24 | X1213 | 2.25 |
| 15 | Pin for Roller Arm to Hub | 1487 | .50 | 1487 | .50 |
| 16 | Pin for Roller Arm and Eccentric | 1487 | .50 | 1487 | .50 |
| 17 | Tapor Steel Pin and Nut for Hub | | .20 | | .20 |
| 18 | Cast Collar for Shaft | | .20 | | .20 |
| 19 | Main Shaft | | 2.00 | | 2.50 |
| 20 | Full Cut Chain | | .50 | | .50 |
| 10 | Steel Pump Rod and Shovel | | 4.50 | | 4.50 |
| 10 | Steel Full Cut Rod | | .80 | | .50 |
| 20 | Oil Rings, Each | | .15 | | .15 |
| 20 | Oil Ring, with Pipe Stem | | \$1.00 | | \$1.50 |
| MO. | Pin for Truss Casting | | .20 | | .20 |
| MO. | Stand Only for Main Bearing | | .50 | | .50 |
| MO. | Steel Bar for Wheel | | 1.10 | | 1.50 |
| MO. | Loop Bar for Wheel | | 1.50 | | 2.00 |
| MO. | Small Steel Chain | | .10 | | .10 |
| MO. | Large Steel Chain | | .15 | | .15 |
| MO. | Wheel Ties or Bands | | .25 | | .25 |
| MO. | Flat Steel Wheel Bush | | .50 | | 1.00 |
| MO. | Angle Steel Wheel Bush | | .50 | | .50 |
| MO. | Truss Shim or Pipe | | 2.20 | | 3.00 |
| MO. | Supporting Rod for Truss | | .50 | | 1.00 |
| MO. | Wheel Section, Complete | | 2.50 | | 4.00 |
| MO. | Complete Wheel (6 sections) with Hubs, Wheel Arms and Ropes | | 25.00 | | 30.00 |
| MO. | Engine, Complete with Galvanized Hood and Oil | | 25.00 | | 37.00 |
| MO. | Set of 20 Bars for Trussable | | .75 | | .75 |
| MO. | Set of Mill Bolts (19 Double Nutted, 47 Single Nutted) | | 1.50 | | 1.50 |
| MO. | Set of Wheel Bolts (19 Double Nutted, 13 Single Nutted) | | 1.00 | | 1.00 |
| MO. | Truss Complete | | 9.50 | | 11.00 |
| MO. | Baker Dem. Oil | 1/2 Gal. | .25 | 1/2 Gal. | .50 |

Discontinued Direct Stroke **BAKER** Run-In-Oil Engine Repairs

WITH BABBITT ECCENTRIC AND OVERHEAD OILING GEARS



| Part No. | Article | List Price | |
|----------|----------------------------|------------|--------|
| | | 8 Ft. | 10 Ft. |
| 002 | Oil Bowl Only | \$6.00 | \$8.00 |
| 00 | Main Crank. with Pist. | 8.00 | 8.00 |
| 00H2 | Babbitt Eccentric Complete | 4.00 | 4.00 |
| 00T | Slider Arm | 1.50 | 1.50 |
| 002 | Band for Rocker Arm | 1.50 | 1.50 |
| W02 | Oil Flange | 3.00 | 3.00 |
| V02H | Wheel Hub | 1.50 | 1.50 |
| X01 | Wheel Flub | 1.50 | 1.50 |
| F2 | Yoke Crank. | 3.00 | 3.00 |
| W20 | Yoke Crank. | 3.00 | 3.00 |
| 002 | Pump Rod Hub | 1.00 | 1.00 |
| X00 | Small Oiling Gear | 1.00 | 1.00 |
| | Large Oiling Gear | 1.00 | 1.00 |
| | Galvanized Hood | 1.00 | 1.00 |
| | Roll Round Pump Rod | 1.00 | 1.00 |
| | Pump Rod and Swivel | 1.50 | 1.50 |
| | Steel I. Brack. | 1.50 | 1.50 |
| | Cast Bearing Glass | .50 | .50 |
| | Bearing Packing | .50 | .50 |
| | Main Rod Scudels | 2.00 | 2.00 |
| | Short Rocker Arm Pin, Each | .50 | .50 |
| | Long Rocker Arm Pin | .50 | .50 |

Other parts duplicate of Model 25 Windmill as listed on Page 72.

Give size and model of M.E. Also part number and description of article when ordering.

Discontinued Back Gear **BAKER** Run-In-Oil Engine Repairs

WITH OVERHEAD BEARING AND OILING GEARS


| Part No. | Article | LIST PRICE | |
|----------|------------------------|------------|--------|
| | | 8 Ft. | 10 Ft. |
| 00 | Main Crank. with Pipe | \$8.00 | |
| 00 | Oil Bowl | 1.50 | \$8.00 |
| V02H | Wheel Hub | 1.50 | 8.00 |
| X-H | Wheel Hub | 1.50 | 2.00 |
| | Main Rod Scudels | 1.50 | 2.00 |
| 02 | Large Gear Wheel, Each | 2.00 | 2.00 |
| W02 | Yoke Crank. | 2.00 | 2.00 |
| 0 | Small Flange Gear | .50 | .50 |
| 013 | Rocker Arm Band | 1.00 | 1.00 |
| 004 | Rocker Arm | 1.00 | 1.00 |
| 004 | Piston Arm, Each | 1.00 | 1.00 |
| 007 | Cast Oil Flange | .50 | .50 |
| | Oiling Gear | .50 | .50 |
| 111X | Oiling Gear | .50 | .50 |
| 002 | Crank for Small Gear | 1.50 | 1.50 |
| | Flat L Small Brack. | 1.00 | 1.00 |
| 002 | Pump Rod Hub | .50 | .50 |
| 014 | Pin for Large Glass | .50 | .50 |
| | Pin for Rocker Arm | .50 | .50 |
| | Pin for Large Glass | .50 | .50 |
| | Pin for Rod Hub | .50 | .50 |
| | Glass for Main Bearing | .50 | .50 |
| | Galvanized Hood | 2.00 | 2.00 |



Other parts duplicate of Model 25 Windmill as listed on Page 72.

Give size and model of M.E. Also part number and description of article when ordering.


Repair Parts for Open Style **BAKER** Back Geared Mills



| Number | | Description of Part | Price | |
|--------|---------|---|--------|---------|
| 8-Foot | 10-Foot | | 8-Foot | 10-Foot |
| 1 | W1 | Main Casting | \$7.00 | \$9.00 |
| 2 | W2 | Vase Casting | 5.00 | 3.00 |
| 3 | W3 | Socket Arm | 3.00 | 3.00 |
| 4 | W4 | Lower for Pipe | 3.00 | 3.00 |
| 5 | W5 | Wheel Hub | 5.00 | 5.00 |
| 6 | W6 | Steel Spindle | 1.00 | 1.00 |
| 7 | W7 | Pipe for Main Casting | 1.00 | 1.00 |
| 8 | W8 | Steel Spindle | 1.00 | 1.00 |
| 9 | W9 | Chains | 1.50 | 1.50 |
| 10 | W10 | Truss Casting | 1.50 | 1.50 |
| 11 | W11 | Bottom Part of Turntable | 1.50 | 1.50 |
| 12 | W12 | Top Part of Turntable | .80 | .80 |
| 13 | W13 | Steel Pump Rod and Seal | 4.00 | 4.00 |
| 14 | W14 | Cast Iron Flange and Wheel Pin | 2.00 | 3.00 |
| 15 | W15 | Steel Pin for Socket Arm | .50 | .50 |
| 16 | W16 | Steel Pin for Vase Casting | .50 | .50 |
| 17 | W17 | Policy for Chain | .50 | .50 |
| 18 | W18 | Clavette Spring | 1.40 | 1.40 |
| 19 | W19 | Swapper Spring | 1.40 | 1.40 |
| 20 | W20 | Cast Guide on Bottom of 2 Jack Pipe | 1.00 | 1.00 |
| 21 | W21 | Cast Guide on Bottom of 2 Jack Pipe | 1.00 | 1.00 |
| 22 | W22 | Cast Iron Shield for Gear | 2.00 | 2.00 |
| 23 | W23 | Steel Pin for Wheel | 1.10 | 1.50 |
| 24 | W24 | Large Steel Ball Chain | 1.50 | 1.50 |
| 25 | W25 | Small Steel Ball Chain | .18 | .30 |
| 26 | W26 | Wheel Pin or Bolt | .25 | .25 |
| 27 | W27 | Flat Steel Wheel Arm | .40 | 1.00 |
| 28 | W28 | Angle Steel Spacers for Wheel | .50 | .50 |
| 29 | W29 | Vase Shim or Pipe | 2.30 | 3.00 |
| 30 | W30 | Supporting Rod for Vase | .70 | 1.00 |
| 31 | W31 | Wheel Complete with Arms and Spacers and Bolt | 25.00 | 25.00 |
| 32 | W32 | Vase, Complete | 8.50 | 11.00 |
| 33 | W33 | Spacers, Complete | 12.50 | 21.00 |
| 34 | W34 | Set of Ball Bearings for Turntable | 7.00 | 7.00 |
| 35 | W35 | Set of Overhead Ball Bearings for Turntable | .75 | .75 |
| 36 | W36 | Top Casting for Pump Rod and Seal | .30 | .30 |

When ordering give size of Mill and description and number of part.

Repair Parts for Open Type Direct Stroke BAKER Mills



| Part No. | Description of Part | PRICE | |
|----------|--|--------|--------|
| | | 8 Ft. | 10 Ft. |
| D8E | Double Row Ball Bearing Eccentric, Comp. | \$8.00 | \$6.00 |
| 100 | Main Casting, 10 Foot | 5.50 | 4.50 |
| A100 | Yoke Casting, 10 Foot | 5.50 | 3.50 |
| W20 | Yoke Casting, 8 Foot | 5.50 | 3.50 |
| F2 | Yoke Casting, 8 Foot | 5.50 | 3.50 |
| A3 | Wheel Hub, 10 Foot | 2.00 | 1.50 |
| A6 | Upper Part Double Ball Eccentric | 2.50 | 2.00 |
| A7 | Cam for Double Ball Eccentric | 2.00 | 2.00 |
| A8 | Lower Part Double Ball Eccentric | 2.50 | 2.00 |
| A10 | Roller Arm for Double Ball Eccentric | 3.00 | 3.00 |
| X11 | Timing Cam | 1.50 | 1.50 |
| X12 | Bottom Part of Turntable | 1.25 | 1.25 |
| X13 | Top Part of Turntable | .48 | .48 |
| X1213 | Turntable, Complete | 2.25 | 2.25 |
| B14 | Steel Spindle, 10 Foot | 2.00 | 1.50 |
| A14 | Steel Spindle, 8 Foot | 2.00 | 1.50 |
| 18 | Governor Spring, 10 Foot | 1.40 | 1.40 |
| A19 | Governor Spring, 8 Foot | 1.40 | 1.40 |
| 12 | Steel Pump Rod and Seivel | 4.00 | 4.00 |
| 16 | Regulating Spring | 1.40 | 1.40 |
| 17 | Spring Bumpers | .40 | .40 |
| 19 | Full Oil Chain | .80 | .80 |
| 20 | Pulley for Full Oil Chain | .50 | .50 |
| 22 | Steel Steel Pin for Roller Arm | .50 | .50 |
| 23 | Steel Steel Pin for Roller Arm | .50 | .50 |
| 24 | Steel Pin for Yoke Casting | .40 | .40 |
| | Steel Pin for Wheel | 1.00 | 1.00 |
| | Long Pin for Wheel | 1.50 | 2.00 |
| | Large Steel Nail Chain | .18 | .18 |
| | Small Steel Nail Chain | .10 | .10 |
| | Wheel Fan or Seal | .25 | .25 |
| | Flat Steel Wheel Arm | .80 | 1.00 |
| | Angie Steel Bore for Wheel | .50 | .50 |
| | Yoke Shim or Pipe | 1.25 | 1.00 |
| | Supporting Rod for Yoke | .50 | 1.00 |
| | Wheel Complete with Arms and Bases and Bolts | 20.00 | 20.00 |
| | Yoke, Complete | 8.50 | 11.00 |
| | Engine, Complete | 17.00 | 21.00 |
| | Roll. Bearings and Bolts for D. S. Ecc. | 3.00 | 3.00 |
| | Rollers Only for D. S. Eccentric, Set | .50 | .50 |
| | Balance Weight for Wheel | .50 | .50 |
| | Eccentric Bolts, Each | .20 | .20 |

IMPORTANT—The slide eccentric and single row ball bearing eccentric were used prior to 1915, being interchangeable. Note offset arm which requires No. 10 straight roller.



SINGLE ROW BALL BEARING ECCENTRIC

| No. | Description of Part | Price | |
|-----|------------------------------------|--------|--------|
| | | 8 Ft. | 10 Ft. |
| | Single Ball Eccentric, Complete | \$4.00 | \$4.00 |
| | Set of Ball B. for S. B. Eccentric | 1.00 | 1.00 |
| 6 | Upper CB-Set Arm, S. B. Eccentric | 1.40 | 1.40 |
| 7 | Cam for S. B. Eccentric | 1.40 | 1.40 |
| 8 | Lower Ball Ring, S. B. Eccentric | 1.40 | 1.40 |
| 10 | Roller Arm for S. B. Eccentric | 4.00 | 4.00 |
| | Eccentric Bolts, Each | .05 | .05 |

When ordering give size of MILL and when erected.

Show plainly the number on part and description of part.